ELSEVIER

Journal of Organometallic Chemistry 643–644 (2002) 537–540

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Contents of Volume 643–644

Special Issue: Dedicated to Professor François Mathey on the occasion of his 60th birthday

Preface . . . 1

Regular Papers

Palladium(II) ion promoted hydroamination of di(phenylethynyl)phenylphosphine and aniline: a facile synthesis of a six-membered P–N heterocycle
X. Liu, T.K.W. Ong, S. Selvaratnam, J.J. Vittal, A.J.P. White, D.J. Williams, P.-H. Leung . . . 4

Dihydromyrcenol carbonylation catalyzed by palladium–tin precursors: selectivity of the reaction drawn by the experimental conditions and the co-reactants
G. Lenoble, M. Urrutigoïty, P. Kalck . . . 12

1-Diisopropylaminophospholes: synthesis and X-ray characterisations of new palladium and platinum complexes
J. Hydrio, M. Gouygou, F. Dallemer, G.G.A. Balavoine, J.-C. Daran . . . 19

The reaction of potassium hydridopentacarbonylchromate with acrylates. X-ray structure of $[PPN]^+[CH_3CH(COOEt)Cr(CO)_5]^-$
B. Andrieu, J.-J. Brunet, O. Diallo, B. Donnadieu, J. Lienafa, E. Roblou . . . 27

Site-selective phosphorylation of arylphospholes through reaction with phosphorus tribromide
G. Keglevich, T. Chuluunbaatar, B. Dajka, K. Ludányi, G. Parlagh, T. Kégl, L. Kollár, L. Töke . . . 32

Aromaticity of annulated benzene, pyridine and phosphabenzene
S.M. Bachrach . . . 39

Synthesis and structure of monomeric and solvent-free $LPrX_2$ compounds supported by a new β-diketiminato ligand [L = $Et_2NCH_2CH_2NC(Me)CHC(Me)NCH_2CH_2NEt_2$, X = Cl, Br, BH_4]
D. Neculai, H.W. Roesky, A.M. Neculai, J. Magull, H.-G. Schmidt, M. Noltemeyer . . . 47

Aluminum, gallium and copper complexes of 2,2-dimethyl-1,3-propanediamine
S.J. Obrey, S.G. Bott, A.R. Barron . . . 53

Synthesis of dimetallic μ-alkylideneamido zirconocene dications by a thermodynamically favorable lithium chloride elimination pathway
S. Döring, G. Erker, R. Fröhlich . . . 61

Preparation and structures of 1-dimethylamino-2-bis(dimethylamino)- and 1-chloro-2-bis(diethylamino)-1-phospha-2-phosphonium acenaphthene: the first examples of the 1,2-dihydro-1,2-diphospha-acenaphthene ring system
A. Karaçar, M. Freytag, H. Thönnessen, P.G. Jones, R. Bartsch, R. Schmutzler . . . 68

Synthesis, structure and reactivity of highly functionalized arsanyl- and stibanyl-diazomethanes
L. Weber, L. Pumpenmeier, H.G. Stammler, B. Neumann, P. Lönnecke . . . 81

Fine tuning of the photophysical properties of cofacial diporphyrins via the use of different spacers
F. Bolze, C.P. Gros, M. Drouin, E. Espinosa, P.D. Harvey, R. Guilard . . . 89

New P,N ligands with chiral nitrogen center: applications in homogeneous catalysis
C. Saluzzo, J. Breuzard, S. Pellet-Rostaing, M. Vallet, F. Le Guyader, M. Lemaire . . . 98

Substituent effects in polarized phosphaalkenes: a theoretical study of aminocarbene–phosphinidene adducts
G. Frison, A. Sevin . . . 105

Synthesis of dendrimers with phosphine end groups at each generation
A. Balueva, S. Merino, A.-M. Caminade, J.-P. Majoral . . . 112

Green organometallic chemistry: $CpFe^+$-induced amination of chloroarenes in water
F. Moulines, M. Kalam-Alami, V. Martinez, D. Astruc . . . 125

Reactivity of the lithium anion of the (*S,S*)-bis-*p*-tolylsulfinyl methane. A versatile synthesis of enantiopure alkylidene 1,1-bis-*p*-tolylsulfoxides
B. Delouvrié, F. Nájera, L. Fensterbank, M. Malacria. . . . 130

Enantioselective synthesis of a conformationally rigid, sterically encumbered, 2-arsino-7-phosphanorbornene
P.A. Gugger, A.C. Willis, S.B. Wild, G.A. Heath, R.D. Webster, J.H. Nelson . . . 136

A novel and convenient preparation of hypophosphite esters
S. Deprèle, J.-L. Montchamp . . . 154

Synthesis and structure of a highly fluorinated 7-bora-7*H*-benzo[*de*]anthracene
M. Schulte, F.P. Gabbaï . . . 164

Tris(*N*-pyrrolyl)phosphine complexes of osmium(II) and osmium(0)
C.E.F. Rickard, W.R. Roper, S.D. Woodgate, L.J. Wright . . . 168

New highly fluorinated dirhodium(II) tetrakis(alkanecarboxylates) as catalysts for carbenoid C–H insertion reactions
A. Endres, G. Maas. . . . 174

A zwitterionic phosphanyl-substituted phosphonio-benzo[*c*]phospholide as bridging ligand towards dinuclear transition metal carbonyls
D. Gudat, S. Häp, M. Nieger . . . 181

Synthesis of alkaline earth metal bis(2-phosphaethynolates)
M. Westerhausen, S. Schneiderbauer, H. Piotrowski, M. Suter, H. Nöth . . . 189

Structure–property relationships in phosphole oligomers: a theoretical insight
D. Delaere, M.T. Nguyen, L.G. Vanquickenborne . . . 194

The first stable 3,1-germaphosphaallene Tip(*t*-Bu)Ge–C–PAr
Y.E. Harouch, H. Gornitzka, H. Ranaivonjatovo, J. Escudié . . . 202

The first mixed cyclooctatetraenyl-phospholyl metal complexes. Crystal structure of $[U(\eta\text{-}C_8H_8)(\eta\text{-}C_4Me_4P)(BH_4)(OC_4H_8)]$
S.M. Cendrowski-Guillaume, M. Nierlich, M. Ephritikhine . . . 209

A weak η^1 π-bonding mode for Ru–arene complexes. Nitrile, isonitrile and phosphine derivatives of Ru–phosphino–arene chelating complexes
T.J. Geldbach, D. Drago, P.S. Pregosin . . . 214

Donor–acceptor interactions with electrophilic terminal phosphinidene complexes
S. Grigoleit, A. Alijah, A.B. Rozhenko, R. Streubel, W.W. Schoeller . . . 223

Ti–Ru bimetallic complexes: catalysts for ring-closing metathesis
P. Le Gendre, M. Picquet, P. Richard, C. Moïse . . . 231

Totally diastereoselective synthesis of new P-chirogenic *o*-trimethylsiloxyaryl diazaphospholidines and *o*-hydroxyaryl diazaphospholidine–borane complexes
C.J. Ngono, T. Constantieux, G. Buono . . . 237

The $Cl_2(PCy_3)(IMes)Ru(=CHPh)$ catalyst: olefin metathesis versus olefin isomerization
D. Bourgeois, A. Pancrazi, S.P. Nolan, J. Prunet . . . 247

Catalytic and selective ring expansion reactions of *o*-phenyl-substituted 2*H*-azaphosphirene tungsten complexes
C. Neumann, E. Ionescu, U. Schiemann, M. Schlenker, M. Bode, F. Ruthe, P.G. Jones, R. Streubel . . . 253

Density functional studies on N-fused porphyrin. Electronic, magnetic and metal binding properties
B. Kiran, M.T. Nguyen. . . . 265

The stable silylene Si[(NCH^{t}Bu)$_2$C$_6$H$_4$-1,2]: insertion into Li–C or Li–Si bonds of lithium alkyls LiR or $[LiSi(SiMe_3)_3(THF)_3]$ [R = Me, ^{t}Bu or $CH(SiMe_3)_2$]
X. Cai, B. Gehrhus, P.B. Hitchcock, M.F. Lappert, J.C. Slootweg. . . . 272

Phosphorus stabilized carbenes: theoretical predictions
Á. Fekete, L. Nyulászi . . . 278

Coordinated olefins, H_2C–CHR, and phosphanes, PH_2R: a theoretical study of the R substituent effect
G. Frison, H. Grützmacher . . . 285

Structural and electrochemical study of metal carbonyl complexes with chelating bis- and tetrakis(diphenylphosphino)tetrathiafulvalenes
N. Avarvari, D. Martin, M. Fourmigué . . . 292

A series of soluble, discrete homo and heteroleptic Ca(II) complexes of hexanuclear sulfidochloride rhenium clusters, $[Ca(X)_n(Y)_m][Re_6S_8Cl_6]$, ($n = 6$, $m = 0$, X = DMF, THF, DMSO; $n = 4$, $m = 3$, X = MeCN, Y = THF, dioxane) and the 1D co-ordination polymer $[Ca(MeCN)_3(OH_2)_2(dioxane)_2][Re_6S_8Cl_6]\cdot(dioxane)(MeCN)$
S. Perruchas, F. Simon, S. Uriel, N. Avarvari, K. Boubekeur, P. Batail . . . 301

Synthesis and characterization of monodisperse zinc and zinc oxide nanoparticles from the organometallic precursor $[Zn(C_6H_{11})_2]$
F. Rataboul, C. Nayral, M.-J. Casanove, A. Maisonnat, B. Chaudret . . . 307

Hydrogen-bonded networks: (phosphine)gold(I) 4-amino-2-pyrimidine-thiolates
J.D.E.T. Wilton-Ely, A. Schier, N.W. Mitzel, S. Nogai, H. Schmidbaur . . . 313

Stereoselective polycyclisations of allyl and enyne silanes: evidence for a bicyclo[3.2.0]hept-1(7)ene structure
G. Oba, G. Moreira, G. Manuel, M. Koenig . . . 324

Synthesis and reactivity studies on alkyl–aryloxo complexes of nickel containing chelating diphosphines: cyclometallation and carbonylation reactions
J. Cámpora, J.A. López, C. Maya, P. Palma, E. Carmona, P. Valerga . . . 331

Tandem eneyne-phosphaallene Myers type cyclization via base-induced isomerisation of enediynephosphine
G. Baba, C.G. Tea, S.A. Touré, M. Lesvier, J.-M. Denis . . . 342

The first titanocenyl dichloride moiety vectorised by a selective estrogen receptor modulator (SERM). Synthesis and preliminary biochemical behaviour
S. Top, E.B. Kaloun, A. Vessières, I. Laïos, G. Leclercq, G. Jaouen . . . 350

A dimeric gold(I) triphospholyl complex
M. Hofmann, F.W. Heinemann, U. Zenneck . . . 357

A facile and diastereoselective access to substituted cyclopentanones from Fischer alkenyl carbene complexes and 1-amino-1-azadienes
J. Barluenga, A. Ballesteros, J. Santamaría, M. Tomás . . . 363

Structural properties of azaphosphirane and its $W(CO)_5$ complex. A density functional study
T.P.M. Goumans, A.W. Ehlers, M.J.M. Vlaar, S.J. Strand, K. Lammertsma . . . 369

Design, synthesis and solid state structural characterisation of a metallacyclophane formed by a diazadioxamacrocycle bearing two pyridines and silver(I) cation
V. Jullien, M.W. Hosseini, J.-M. Planeix, A. De Cian . . . 376

Preparation of phosphinodipeptide analogs as building blocks for pseudopeptides synthesis
H.-J. Cristau, A. Coulombeau, A. Genevois-Borella, F. Sanchez, J.-L. Pirat . . . 381

Diastereoselective synthesis of C_2-symmetric hexacoordinated phosphate anions (HYPHATs) with predetermined chirality from 1,2-diarylethane-1,2-diols
J. Lacour, A. Londez . . . 392

A practical access to α-phosphonoenamides
B. Quiclet-Sire, S.Z. Zard, H. Zhang . . . 404

Organophosphorus compounds Part 164. 2,4-Disubstituted 1,3-diphosphacyclobutadienes: generation and trapping reactions
A. Mack, S. Danner, U. Bergsträßer, H. Heydt, M. Regitz . . . 409

Mechanism of the oxidative addition of Pd^0 complexes generated from Pd^0(dba)$_2$ and a phosphole ligand DBP: a special case where dba does not play any inhibiting role
C. Amatore, A. Jutand, A. Thuilliez . . . 416

Effects of the electronic properties of chiral chelating diphosphines in stereoselective Diels–Alder cycloaddition reactions promoted by their transition metals complexes
G. Celentano, T. Benincori, S. Radaelli, M. Sada, F. Sannicolò 424

Hafnium imido complexes containing silyl ligands
I. Castillo, T. Don Tilley 431

Stereomutation and apicophilicity of diastereomeric spirophosphoranes (10-P-5)
M. Nakamoto, S. Kojima, S. Matsukawa, Y. Yamamoto, K.-y. Akiba 441

Organic–inorganic hybrid materials containing metal phosphine complexes: Evidence for preferential *cis* configuration of Pd(II) and Pt(II) complexes within the materials
J.-P. Bezombes, C. Chuit, R.R.J. Corriu, C. Reyé 453

Unusual structures of lithium terphenyl derivatives
N.J. Hardman, B. Twamley, M. Stender, R. Baldwin, S. Hino, B. Schiemenz, S.M. Kauzlarich, P.P. Power 461

σ-Metathesis reaction and E–H activation (E = P, As) of diphosphanyl- and diarsanylsilanes in the presence of the metal complex fragments [(dppe)M] (M = Ni, Pd, Pt; dppe = 1,2-$(Ph_2P)_2C_2H_4$)
M. Driess, F. Franke, H. Pritzkow 468

Synthesis, structure, and reactivity of disilanes containing one neutral [4 + 2]-coordinate silicon center
K. Tamao, M. Asahara, A. Kawachi, A. Toshimitsu 479

Notes

The unusual reaction of $Ga(C_5Me_5)_3$ with a nucleophilic carbene
J.D. Gorden, C.L.B. Macdonald, A.H. Cowley 487

The phosphorofluoroamidite approach to mixed phosphites
I. Tworowska, W. Dąbkowski, L. Kaźmierczak, J. Michalski 490

A bridging ligand featuring terminal 2-pyridylphosphole moieties: synthesis, optical properties and Ru(II)-complex
C. Hay, M. Sauthier, V. Deborde, M. Hissler, L. Toupet, R. Réau 494

Convenient access to an alkenyl(biscarbene)-bridged heterobinuclear (Ru–W) complex. X-ray structure of $[(\eta^6\text{-}C_6Me_4H_2)Ru\text{–}C(OMe)\text{-}(CH\text{–}CHC_6H_4CH\text{–}CH\text{–}CO_2Me)(Cl)(PMe_3)][PF_6]$
K. Ulrich, V. Guerchais, L. Toupet, H. Le Bozec 498

A general convenient synthesis of conjugated dieneynes
I. Maciągiewicz, P. Dybowski, A. Skowrońska 501

Synthesis and structure of the first pentacoordinate thiasiliranides
K. Naganuma, T. Kawashima 504

1,2-Azaboretidine formation in the reactions of (boryl)(silyl)iminomethanes via possible generation of (amino)(boryl)carbene species
M. Suginome, T. Fukuda, Y. Ito 508

Palladium cross-coupling reactions on solid support using a new silylated linker
R. Duboc, M. Savignac, J.-P. Genêt 512

Electronic effects on the acidity of phosphorus(III) triflates
S.L. Renard, T.P. Kee 516

One-pot dodecanitration of Zn(II) and Ni(II) *meso*-tetrakis-(2,6-dichlorophenyl) porphyrin, and extreme redox properties of the obtained complexes
M. Palacio, A. Juillard, P. Leduc, P. Battioni, D. Mansuy 522

Author Index of Volume 643–644 525
Subject Index of Volume 643–644 527
Contents of Volume 643–644 537